



Engineered for Safety!

## Hydraulic Edge of Dock Leveler

### Description:

The design of the Pentalift EDH series hydraulic edge of dock ensure trouble-free, reliable operation resulting in a maximum return on investment. The Pentalift EDH series hydraulic edge of dock is fully hydraulic. The operator simply pushes a button to utilize the edge of dock. The hydraulic system is self contained and reliable. It ensures the operation is smooth and controlled. For ease of service, all components are easily accessible from the dock face. The Pentalift EDH series hydraulic edge of dock is a safe and superior alternative to a dock plate.



### Specifications:

Hydraulic Edge of Dock(s) will be model EDH\_\_\_\_\_, as manufactured by Pentalift Equipment Corporation. The nominal deck size will be \_\_\_\_\_" wide with a rated capacity of \_\_\_\_\_ lb. Edge of dock(s) will be mounted to the face of the dock. Edge of dock(s) will be fully hydraulic with a wall mounted, push button control station. The power unit will be a self-contained, TENV unit installed on the Edge of dock(s) rear plate. The power supply is to be \_\_\_/\_\_\_/\_\_\_\_. The nominal lip length will be 15". The lip hinge will be a full width, piano style with a full width hinge pin. The lip plate will be made from high tensile steel construction, and be designed to project 11 1/2" beyond the face of the bumpers. After truck/trailer departure, Edge of dock(s) will automatically return to the stored position. Edge of dock(s) will be equipped with one hydraulic cylinder to manage both the raising of the deck and the extending of the lip. Two molded rubber bumpers and two steel bumper blocks will be provided to achieve an overall projection of 16". Edge of dock(s) will have Pentalift gray finish.

Model*	Width	Overall Width	Span
EDH66__	66"	96"	27.5"
EDH72__	72"	102"	27.5"

### Edge of dock leveler To Be Equipped With The Following Available Options (Specify):

- top lag plate
- interlock to Pentalift vehicle restraint (specify model)
- interlock to overhead door
- interlock to inflatable shelter
- master control panel

\*Models available in rated capacities (multiply by 1000 lb.) of 20, 25, 30. Widths in table are nominal.

### Link to Website Information

For more information regarding this product refer to the Pentalift website product page: [www.pentalift.com/prodinfoEDH.htm](http://www.pentalift.com/prodinfoEDH.htm)

Consult a Pentalift Sales Representative for additional information or equipment recommendations

Note: Some photos may reflect products with optional features. All Pentalift Equipment products are subject to design improvement through modification without notice.

## PENTALIFT EQUIPMENT CORPORATION

P O Box 1510 Buffalo NY U.S.A. 14240-1510

P O Box 1060 Guelph ON Canada N1H 6N1

CP 1219 Pointe-Claire QC Canada H9S 5K7

Website: [www.pentalift.com](http://www.pentalift.com)

Phone (519) 763-3625 Fax (519) 763-2894

Phone (519) 763-3625 Fax (519) 763-2894

Phone (514) 426-0219 Fax (519) 763-2894

Email: [dock@pentalift.com](mailto:dock@pentalift.com)

Product Bulletin 0410S021  
Printed in Canada