

Pentalift RS800 RainStop Seal



Improves safety at your loading dock




Engineered for Safety

Dock seals are not enough

The typical loading dock scenario involves a slight decline on the approach to the dock. When the rain water hits the top of the trailer it runs back into the building causing product damage and slippery and unsafe conditions on your loading dock. The Pentalift RainStop utilizes a stiffly sprung five and a half inch foam filled header curtain to create a positive seal on the top of the trailer. The RainStop diverts the water from the top of the trailer and away from entering your building. The RainStop seal can be ordered separately for existing applications or in conjunction with a new dock seal.



Designed to fit over existing dock seal head pads for retrofit applications. Rain water that would normally run into the facility is diverted to the sides of the trailer Oversized foam head curtain, reinforced with stays creates a positive seal on the top of the trailer roof.



Pentalift Model RS RainStop Seal



Standard Features:

- 5.5" thick header pad reinforced with stays
- Enviro-Green foam design scores LEED Certification credits
- Standard 29" high curtain
- Head frame draft curtains
- 40 oz vinyl cover material
- Galvanized fasteners and hardware maintains building aesthetics
- Pressure treated wood construction
- Single base cover fabric
- Raked head frame with translucent cover panels
- Aluminum trim

Options:

- Fire retardant foam
- Wear pleats on face of the curtain provides added protection against wear
- Double layer material on impact surface area
- Extra drop on curtain to accommodate lower trucks
- Different cover material

Considerations:

- Projection is 18" past dock seal
- An unobstructed, smooth mounting surface is required
- Mounting surface must have sufficient strength for the loads that will be created

Other Dock Seals and Shelters from Pentalift



Individual Product Catalogs are available and can also be found on our website. Pentalift also manufacturers a complete line of Lift Tables for your in plant material handling needs.

Note: Some photos may reflect products with optional features. All Pentalift Equipment Corporation products are subject to design improvement through modification without notice.

Pentalift Equipment Corporation P.O. Box 1060, Guelph, ON N1H 6N1 Canada P.O. Box 1510, Buffalo, NY 14240 – 1510 USA Phone: (519) 763 3625 Fax: (519) 763 2894 www.pentalift.com